Material Safety Data Sheet

Bona 2

MSDS #: 10005

24-Honr Emergency Telephone Number 1-800-424-9300 (Chemtree)

HMIS Ratings:

HEALTH: 0

FLAMMABILITY:

REACTIVITY: 0

PROTECTION:

MSDS#: 10005

DATE OF PREPARATION: 4/30/2001 LAST REVISION DATE: 12/15/1999

THE RESIDENCE OF THE PROPERTY OF THE PROPERTY

PRODUCT NAME:

BONA® SWEDISH FORMULA® HARDWOOD FLOOR CLEANER

PRODUCT DESCRIPTION: WATERBORNE WOOD FLOOR CLEANER

Occupational

VAPOR Exposure Limits

PRESSURE-

INGREDIENT

% WEIGHT ACGIH-TLV OSHA-PEU mm Hg CAS#

NONE

公文的"所见"以通知出的特殊。

ETTSTEDNITESTISTET PRESENTATION OF THE SECOND OF THE SECON

BOILING RANGE:

>212F (100C)

EVAPORATION RATE: Slower than n-Butyl Acetate

% VOLATILE - WT: 98

DENSITY: 8.30 LBS/GAL (1.00KG/L)

VAPOR DENSITY: Heavier than air

SOLUBILITY IN WATER: Miscible

Closed containers may explode (due to the build-up of steam pressure) when exposed to extreme heat.

PRODUCT CHARACTERISTICS: Blue, water-thin liquid with mild, sweet odor

THE PROPERTY OF THE PROPERTY O

FLAMMABILITY CLASSIFICATION: Non-Flammable

FLASH POINT: Over 200F (93C) PMCC

% OF VOL. OF FLAMMABLE LIMITS (Upper): N/A

(Lower): N/A

EXTINGUISHING MEDIA: Foam, Carbon Dioxide, Dry Chemical

UNUSUAL FIRE

EXPLOSION HAZARDS:

SPECIAL FIREFIGHTING PROCEDURES:

Water may be used to cool closed containers to prevent pressure build-up.

Material Safety Data Sheet

Bona 2

MSDS #: 10005

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtree)

THE THE PARTY OF THE PROPERTY OF THE PROPERTY

EYE CONTACT: Non-toxic SKIN CONTACT: Non-toxic INHALATION: Non-toxic

INGESTION: May cause gastrointestinal irritation. If swallowed, drink 1 or 2 glasses of water to dilute.

PRIMARY ROUTES OF ENTRY: Ingestion and Demnal

REGULATORY

DATA:

Section 313 supplier notification: This product contains the following chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40CFR 372: None. This product contains the following chemical(s) which are known to the state of California to cause cancer or to cause birth defects or other reproductive harm:

None.

TOXICITY INFO: No ingredients in this product are listed by OSHA, IARC or NTP as a carcinogen, teratogen,

mutagen, or as having toxic reproductive effects. See Section II for exposure limits. Not an eye irritant or dermal irritant; non-toxic by oral ingestion and inhalation under FHSA/CPSC guidelines.

THE THE THE PERSON ASSOCIATION OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PERSON OF TH

STABILITY: Stable REACTIVITY WITH WATER: Will Not Occur

HAZARDOUS DECOMPOSITION

PRODUCTS:

None

HAZARDOUS POLYMERIZATION: Will Not Occur

INCOMPATIBILITY

(MATERIALS TO AVOID):

None Known

SERVICE TO PERMITS AND PROPERTY OF THE PROPERT

IN CASE MATERIAL IS RELEASED OR SPILLED:

No special procedures required.

WASTE DISPOSAL:

Contaminated absorbent should be disposed of in accordance with local, state and federal

regulations.

SHIPPING INFORMATION:

Not regulated as a DOT hazardous material

MINERAL PROPERTY IN THE PROPERTY OF THE PROPER

RESPIRATORY PROTECTION: Not required.

VENTILATION: Use adequate mechanical (general and/or local) ventilation to maintain exposure below TLV.

PROTECTIVE GLOVES:

Not necessary.

EYE PROTECTION:

Not necessary.

OTHER PROTECTIVE

EQUIPMENT:

Not necessary.

Material Safety Data Sheet 24-Hour Emergency Telephone Number

1-800-424-9300 (Chemtree)

Bona 35

MSDS #: 10005

HYGIENIC PRACTICES:

Wash hands with soap and water before eating or using rest rooms.

MANAGEMENTAL DE LE PROPERTIE DE LA PRINCIPAL DE L'ANTICONNE DE L'A

Do not transfer contents to bottles or other unlabeled containers. Do not store in high temperature (above 100F or 38C) environment. Keep from freezing.

KEEP OUT OF THE REACH OF CHILDREN

KEY CODE

HMIS = Hazardous Materials Information System

- 0 = Minimal Hazard
- 1 = Slight Hazard
- 2 = Moderate Hazard
- 3 = Serious Mazard
- 4 = Severe Hazard

N/A = Not Applicable

N/E = Not Established

ACGIH = American Conference of Governmental Industrial Hygienists

OEL= Occupational Exposure Limits

PEL = Permissible Exposure Limit = exposure limit to an airborne contaminant in a workday set by OSHA

TLV = Threshold Limit Value = Time-weighted average concentration for a normal 8-hour workday without adverse effect.

IARC = International Agency for Research on Cancer

NTP = National Toxicology Program

OSHA - Occupational Safety and Health Administration

For additional health and safety information, call the BonaKemi Compliance Department at (303) 371-1411.

The identities of ingredients are withheld as proprietary information. The information on this data sheet represents our best opinion as to the proper use and handling of this product under normal conditions, based upon information compiled from sources considered to be dependable. It is accurate and reliable to the best of our knowledge and belief, but is not guaranteed to be so. It is the user's responsibility to determine the suitability of this product for a specific purpose and to adopt such safety precautions as may be necessary. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.

BEFORE USING ANY PRODUCT, READ THE LABEL.